International Journal of Pharmaceutics, 78 (1992) 243–244
© 1992 Elsevier Science Publishers B.V. All rights reserved 0378-5173/92/$05.00

Author Index

Acar, N., see Onur, F. (78) 89
Alhaique, F., see Touitou, E. (78) 85

Bouwstra, J.A., see Lehr, C.-M. (78) 43
Bundgaard, H., see Kahns, A.H. (78) 199

Çelebi, N. and Erden, N.
Interaction of naproxen with β-cyclodextrin in ground mixture (78) 183
Charro, M.B.D. and Jato, J.L.V.
In vivo study of sustained-release formulations containing amoxicillin and Gelucire 64/02 (78) 35
Chess, E.K., see Jenke, D.R. (78) 115
Coupe, A.J., Davis, S.S., Evans, D.F. and Wilding, I.R.
The effect of sleep on the gastrointestinal transit of pharmaceutical dosage forms (78) 69
Craig, D.Q.M. and Newton, J.M.
The dissolution of nortriptyline HCl from polyethylene glycol solid dispersions (78) 175

Davis, S.S., see Coupe, A.J. (78) 69

Erden, N., see Çelebi, N. (78) 183
Evans, D.F., see Coupe, A.J. (78) 69

Finne, U., Hannus, M. and Urtti, A.
Mechanisms of timolol release from monoisopropyl PVM-MA matrices with and without a basic salt (78) 237

Garvin, K., see Sampath, S.S. (78) 165
Ghanem, A.-H., Mahmoud, H., Higuchi, W.I., Liu, P. and Good, W.R.
The effects of ethanol on the transport of lipophilic and polar permeants across hairless mouse skin: Methods/validation of a novel approach (78) 137
Ghanem, A.-H., see Liu, P. (78) 123
Gilhar, D., see Touitou, E. (78) 85
Gonzalez-Rothi, R.J., see Wichert, B.V. (78) 227
Good, W.R., see Ghanem, A.-H. (78) 137
Good, W.R., see Liu, P. (78) 123
Gundu Rao, P., see Subrahmanyam, C.V.S. (78) 17

Hannus, M., see Finne, U. (78) 237
Hanson, P., see Suryanarayanan, R. (78) 77
Hashida, M., see Masegi, M. (78) 103
Higuchi, W.I., see Ghanem, A.-H. (78) 137
Higuchi, W.I., see Liu, P. (78) 123
Hodgin, L., see Suryanarayanan, R. (78) 77
Hussain, M.S.H., York, P. and Timmins, P.
Effect of commercial and high purity magnesium stearates on in-vitro dissolution of paracetamol DC tablets (78) 203

Jato, J.L.V., see Charro, M.B.D. (78) 35
Jenke, D.R., Chess, E.K., Zietlow, D.C. and Rabinow, B.E.
Model for estimating the accumulation of solutes leaching from polymeric containers into parenteral solutions (78) 115
Junginger, H.E., see Lehr, C.-M. (78) 43

Kahns, A.H., Møss, J. and Bundgaard, H.
Improved oral bioavailability of salicylamide in rabbits by a 1,3-benzoxazine-2,4-dione prodrug (78) 199
Kearney, A.S., Mehta, S.C. and Radebaugh, G.W.
The effect of cyclodextrins on the rate of intramolecular lactamization of gabapentin in aqueous solution (78) 25
Kurihara-Bergstrom, T., see Liu, P. (78) 123
Kusai, A., see Wakiyama, N. (78) 95

Lehr, C.-M., Bouwstra, J.A., Schacht, E.H. and Junginger, H.E.
In vitro evaluation of mucoadhesive properties of chitosan and some other natural polymers (78) 43
Liu, P., Higuchi, W.I., Ghanem, A.-H., Kurihara-Bergstrom, T. and Good, W.R.
Assessing the influence of ethanol on simultaneous diffusion and metabolism of β-estradiol in hairless mouse skin for the 'asymmetric' situation in vitro (78) 123
Liu, P., see Ghanem, A.-H. (78) 137

Machida, Y., see Morishita, I. (78) 9
Machida, Y., see Morishita, M. (78) 1
Mahmoud, H., see Ghanem, A.-H. (78) 137
Masegi, M., Wakabayashi, N., Sagara, K., Teramura, Y., Yamamoto, A., Takakura, Y., Hashida, M. and Sezaki, H.
Permeability of macromolecules in cultured endothelial and tumor cell layers on microporous membranes (78) 103
McCafferty, D.F., see Richardson, P.J. (78) 189
McCafferty, D.F., see Woolfson, A.D. (78) 209
McGowan, K.E., see Woolfson, A.D. (78) 209
Mehta, S.C., see Kearney, A.S. (78) 25
Memoli, A., see Touitou, E. (78) 85

Morishita, I., Morishita, M., Takayama, K., Machida, Y. and Nagai, T.
Hypoglycemic effect of novel oral microspheres of insulin with protease inhibitor in normal and diabetic rats (78) 9
Morishita, I., see Morishita, M. (78) 1
Morishita, M., Morishita, I., Takayama, K., Machida, Y. and Nagai, T.
Novel oral microspheres of insulin with protease inhibitor protecting from enzymatic degradation (78) 1
Morishita, M., see Morishita, I. (78) 9
Møss, J., see Kahns, A.H. (78) 199
Myers, R.A. and Stella, V.J.
Systemic bioavailability of penclomedine (NSC-338720) from oil-in-water emulsions administered intraduodenally to rats (78) 217

Nagai, T., see Morishita, I. (78) 9
Nagai, T., see Morishita, M. (78) 1
Newton, J.M., see Craig, D.Q.M. (78) 175
Nishimura, K., see Wakiyama, N. (78) 95

Onur, F. and Acar, N.
Simultaneous determination of methylene blue, hexamethylene tetramine and resorcinol in pharmaceutical formulations by first-derivative UV spectrophotometry (78) 89

Parnes, J.H., see Prankerd, R.J. (78) 59
Patel, J.M., see Wurster, D.E. (78) 157
Prankerd, R.J., Walters, J.M. and Parnes, J.H.
Kinetics for degradation of rifampicin, an azomethine-containing drug which exhibits reversible hydrolysis in acidic solutions (78) 59

Rabinow, B.E., see Jenke, D.R. (78) 115
Radebaugh, G.W., see Kearney, A.S. (78) 25
Riccieri, F.M., see Touitou, E. (78) 85
Richardson, P.J., McCafferty, D.F. and Woolfson, A.D.
Determination of three-component partial solubility parameters for temazepam and the effects of change in partial molal volume on the thermodynamics of drug solubility (78) 189
Roberts, R.J., see Rowe, R.C. (78) 49
Robinson, D.H., see Sampath, S.S. (78) 165
Rowe, R.C. and Roberts, R.J.
Simulation of crack propagation in tablet film coatings containing pigments (78) 49

Sagara, K., see Masegi, M. (78) 103
Sampath, S.S., Garvin, K. and Robinson, D.H.
Preparation and characterization of biodegradable poly(L-lactic acid) gentamicin delivery systems (78) 165
Santucci, E., see Touitou, E. (78) 85
Schacht, E.H., see Lehr, C.-M. (78) 43
Schreier, H., see Wichert, B.V. (78) 227
Sezaki, H., see Masegi, M. (78) 103
Sreenivasa Reddy, M., see Subrahmanyam, C.V.S. (78) 17
Stella, V.J., see Myers, R.A. (78) 217
Straub, L.E., see Wichert, B.V. (78) 227
Subrahmanyam, C.V.S., Sreenivasa Reddy, M., Venkata Rao, J. and Gundu Rao, P.
Irregular solution behaviour of paracetamol in binary solvents (78) 17
Suryanarayanan, R., Venkatesh, S., Hodgin, L. and Hanson, P.
Determination of the physical state of salicylic acid in hydrogel formulations by X-ray diffractometry (78) 77

Takakura, Y., see Masegi, M. (78) 103
Takayama, K., see Morishita, I. (78) 9
Takayama, K., see Morishita, M. (78) 1
Teramura, Y., see Masegi, M. (78) 103
Timmins, P., see Hussain, M.S.H. (78) 203
Touitou, E., Gilhar, D., Alhaique, F., Memoli, A., Riccieri, F.M. and Santucci, E.
Ascorbic acid in aqueous solution: Bathochromic shift in dilution and degradation (78) 85

Urtti, A., see Finne, U. (78) 237

Venkata Rao, J., see Subrahmanyam, C.V.S. (78) 17
Venkatesh, S., see Suryanarayanan, R. (78) 77

Wakabayashi, N., see Masegi, M. (78) 103
Wakiyama, N., Kusai, A. and Nishimura, K.
Mechanism of caking of granules containing oily materials (78) 95
Walters, J.M., see Prankerd, R.J. (78) 59
Wichert, B.M., see Wichert, B.V. (78) 227
Wichert, B.V., Gonzalez-Rothi, R.J., Straub, L.E., Wichert, B.M. and Schreier, H.
Amikacin liposomes: characterization, aerosolization, and in vitro activity against *Mycobacterium avium-intracellulare* in alveolar macrophages (78) 227
Wilding, I.R., see Coupe, A.J. (78) 69
Woolfson, A.D., McCafferty, D.F. and McGowan, K.E.
Percutaneous penetration characteristics of amethocaine through porcine and human skin (78) 209
Woolfson, A.D., see Richardson, P.J. (78) 189
Wurster, D.E. and Patel, J.M.
Catalysis of α-naphthyl acetate hydrolysis by *o*-iodosobenzoic acid in micellar solutions of cetyltrimethylammonium bromide (78) 157

Yamamoto, A., see Masegi, M. (78) 103
York, P., see Hussain, M.S.H. (78) 203

Zietlow, D.C., see Jenke, D.R. (78) 115